Orange County Con	Orlando vention Center chibitor Services	EVENT NAME:				
Order Online: www.occc.net/exhibitor Email Forms: exhibitor.services@occc.net Fax Forms: (407)685-9884				MULTI-LEVEL & COVERED BOOTH APPLICATION		
EXHIBITING COMPANY:						
BOOTH NUMBER:	BOOTH SIZE:	_ x	BOOTH TYPE:			
NAME OF EAC / DESIGN FIRM:						
PHONE:	FAX:		EMAIL:			
SQUARE FOOTAGE OF BOOTH/EXHIBIT:			SQUARE FOOTAGE OF C	COVER:		
STAIR RISE & TREAD:		GUARD RAIL MEASUREMENTS:				
COMMENTS:						

Please consult the OCCC Multi-Level & Covered Booth Conditions on the OCCC website, <u>www.occc.net/Exhibitor-Guidelines-Information</u>, for complete information regarding multi-level and covered booths. Fire watch personnel are charged at the prevailing rate. All booths must be constructed as required by all applicable codes and standards.

Orange County Fire Rescue Department requires firewatch personnel for:

- All multi-level booths and exhibits regardless of square footage, unless a spinkler system is installed
- All other covered booths and exhibits exceeding three hundred (300) square feet.

COVERED BOOTH, EXHIBITS, TENT & THEATRE DEFINED: To place something over or upon an exhibit or portion of an exhibit (e.g., roof, ceiling, tenting, lattice, fabric, plastic) to cover the ground level and/or support decorative structures. The upper portion of a "covered" exhibit is not occupiable.

- Covered Booth/Exhibits 299 square feet or less: Firewatch not required
- Covered Booth/Exhibits 300 1000 square feet (maximum): Firewatch REQUIRED

MULTI-LEVEL BOOTH DEFINED: To construct a level or tier atop an exhibit or portion of an exhibit, to be occupied by one (1) or more persons.

- Multi-Level Booth/Exhibits 299 square feet or less: Firewatch and one (1) stair REQUIRED
- Multi-Level Booth/Exhibits 300 900 square feet (maximum): Firewatch and two (2) stairs REQUIRED

	Mailing Address:
Please send the completed form back to:	Orange County Convention Center
Exhibitor.Services@occc.net	Attn: Event Management
	Regular Mail: PO Box 691509, Orlando, FL 32869
	Overnight: 9860 Universal Boulevard, Orlando, FL 32819

TO BE COMPLETED BY OCCC AND ORANGE COUNTY FIRE MARSHAL

EVENT MANAGER:		APPROVED:		
OCCC RECEIVED:	NUMBER OF COPIES:	□ YES	□ NO	
DATE TO FIRE MARSHALL:	DATE RETURNED:	FIREWATCH REQUIRED	FIREWATCH REQUIRED:	
PLANS REVIEWER:		□ YES	□ NO	

COMMENTS: